

| L<br>Number | Hits | Search Text  | DB  | Time stamp          |
|-------------|------|--|---|---------------------|
| -           | 1570 | (711/143-145,154,156).CCLS.  | USPAT;<br>US-PGPUB                            | 2002/01/17<br>11:29 |
| -           | 60   | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((director\$4 or table\$1 or tab\$3)<br>same (reset\$6))   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>11:36 |
| -           | 22   | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((director\$4 or table\$1 or tab\$3 or<br>tlb\$1) with (reset\$6))   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>11:36 |
| -           | 11   | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((director\$4 ) with (reset\$6))   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>11:40 |
| -           | 3    | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and (((director\$4 ) with (control\$4))<br>same (control\$4 with reset\$4))  | USPAT;<br>US-PGPUB                            | 2002/01/17<br>11:45 |
| -           | 20   | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((director\$4 ) with (control\$4))<br>and (control\$4 with reset\$4)   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>11:51 |
| -           | 123  | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and (reset\$4 near5 (line\$1 or signal\$1<br>or bus\$3 or terminal\$1 or appl\$6))   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>11:47 |
| -           | 34   | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((reset\$4 near5 (line\$1 or signal\$1<br>or bus\$3 or terminal\$1 or appl\$6)) with<br>control\$4)  | USPAT;<br>US-PGPUB                            | 2002/01/17<br>12:45 |
| -           | 11   | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((reset\$4 near5 (line\$1 or signal\$1<br>or bus\$3 or terminal\$1 or appl\$6)) with<br>control\$4) and (director\$4 near12<br>control\$4)     | USPAT;<br>US-PGPUB                            | 2002/01/17<br>12:06 |
| -           | 5    | ("5655103") or ("5737748") or<br>("5778425") or ("5832534") or<br>("5903908")).PN.   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>12:06 |
| -           | 1    | ((("5655103") or ("5737748") or<br>("5778425") or ("5832534") or<br>("5903908")).PN.) and (director\$4<br>near12 (reset\$4 or rst\$4))   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>12:10 |
| -           | 42   | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((valid\$6 or invalid\$4 or V or I)<br>near15 (isolat\$4 or separat\$6))   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>12:45 |
| -           | 1    | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((valid\$6 or invalid\$4 or V or I)<br>near15 (isolat\$4))   | USPAT;<br>US-PGPUB                            | 2002/01/17<br>13:01 |
| -           | 15   | ((711/143-145,154,156).CCLS.) and<br>(writeback\$4 or (writ\$4 adj back\$3))<br>and ((valid\$6 or invalid\$4 or V or I)<br>near15 (isolat\$4 or separat\$6) near5<br>(bus\$2 or line\$1 or input\$1 or output\$4<br>or signal\$4)) | USPAT;<br>US-PGPUB                            | 2002/01/17<br>12:36 |
| -           | 0    | (writeback\$4 or (writ\$4 adj back\$3))<br>and ((reset\$4 near5 (line\$1 or signal\$1<br>or bus\$3 or terminal\$1 or appl\$6)) with<br>control\$4) and (director\$4 near12<br>control\$4)  | US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/01/17<br>12:46 |
| -           | 13   | (writeback\$4 or (writ\$4 adj back\$3))<br>and ((valid\$6 or invalid\$4 or V or I)<br>near15 (isolat\$4 or separat\$6))  | EPO; JPO;<br>DERWENT;<br>IBM_TDB              | 2002/01/17<br>12:48 |

|     |   |                    |                     |
|-----|---|--------------------|---------------------|
| 189 | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2))   | USPAT;<br>US-PGPUB | 2002/01/17<br>13:05 |
| 149 | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)  | USPAT;<br>US-PGPUB | 2002/01/17<br>13:53 |
| 14  | ((711/143-145,154,156).CCLS.) and (dual adj system\$1)  | USPAT;<br>US-PGPUB | 2002/01/17<br>13:11 |
| 3   | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and (((711/143-145,154,156).CCLS.) and (dual adj system\$1))  | USPAT;<br>US-PGPUB | 2002/01/17<br>13:11 |
| 3   | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and (((711/143-145,154,156).CCLS.) and (dual adj system\$1)) and (activ\$4 or inactiv\$4 or standby or (stand adj by))                  | USPAT;<br>US-PGPUB | 2002/01/17<br>13:12 |
| 3   | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and (((711/143-145,154,156).CCLS.) and (dual adj system\$1)) and ((activ\$4 or inactiv\$4 or standby or (stand adj by)) same system\$1) | USPAT;<br>US-PGPUB | 2002/01/17<br>13:14 |
| 65  | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and ((activ\$4 or inactiv\$4 or standby or (stand adj by)) same system\$1)  | USPAT;<br>US-PGPUB | 2002/01/17<br>13:16 |
| 34  | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and ((activ\$4 or inactiv\$4 or standby or (stand adj by)) near9 system\$1)   | USPAT;<br>US-PGPUB | 2002/01/17<br>13:32 |

|   |    |   |                    |                     |
|---|----|---|--------------------|---------------------|
| - | 35 | ((((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and ((activ\$4 or inactiv\$4 or standby or (stand adj by)) same system\$1)) and ((writeback\$4 or (writ\$4 adj back\$3)) with bus\$2)   | USPAT;<br>US-PGPUB | 2002/01/17<br>13:31 |
| - | 21 | ((((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and ((activ\$4 or inactiv\$4 or standby or (stand adj by)) near9 system\$1)) and ((writeback\$4 or (writ\$4 adj back\$3)) near8 bus\$2) | USPAT;<br>US-PGPUB | 2002/01/17<br>13:49 |
| - | 49 | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2 or line\$2)) and (data\$2 near3 (bus\$2 or line\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2 or line\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and ((writeback\$4 or (writ\$4 adj back\$3)) near3 bus\$2)  | USPAT;<br>US-PGPUB | 2002/01/17<br>13:51 |
| - | 39 | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2)) and (data\$2 near3 (bus\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and ((writeback\$4 or (writ\$4 adj back\$3)) near3 bus\$2)   | USPAT;<br>US-PGPUB | 2002/01/17<br>14:31 |
| - | 9  | ((711/143-145,154,156).CCLS.) and (writeback\$4 or (writ\$4 adj back\$3)) and (addr\$6 near3 (bus\$2)) and (data\$2 near3 (bus\$2)) and ((command\$4 or instruct\$4) near3 (bus\$2)) and ((main or system) near2 memory) and (cach\$4 near3 control\$4)) and ((writeback\$4 or (writ\$4 adj back\$3)) near3 (command\$4 or instruct\$4 or issu\$4) near8 bus\$2)  | USPAT;<br>US-PGPUB | 2002/01/17<br>15:17 |



[> home](#) [> about](#) [> feedback](#) [> logout](#)

US Patent & Trademark

## Search Results

### Nothing Found

Your search for [((address) <near> bus) and ((data) <near> bus) and ((writeback or (write back)) <near> bus) and ((valid\* or invalid\* or V or I) <near> (isolat\*)))] did not return any results.

You can try to rerun it within the Portal.

You may revise it and try your search again below or click advanced search for more options.

((address) <near> bus) and ((data)  
<near> bus) and ((writeback or  
(write back)) <near> bus) and  
((valid\* or invalid\* or V or I)  
<near> (isolat\*))

☐

SEARCH

[\[Advanced Search\]](#) [\[Search\]](#)

### Help/Tips



Complete Search Help and Tips

The following characters have specialized meaning:

| Special Characters | Description   |
|--------------------|---|
| , ( ) [            | These characters end a text token.  |
| = > < !            | These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)                  |
| ` @ \Q < { [ !     | These characters signify the start of a delimited token. These are terminated by the end character associated with the start character. |



[> home](#) [> about](#) [> feedback](#) [> logout](#)

US Patent & Trademark

## Search Results

### Nothing Found

Your search for [((address) <near> bus) and ((data) <near> bus) and ((writeback or (write back)) <near> bus) and ((activ\* or inactiv\* or standby or (stand <near> by)) <near> system) ] did not return any results.

You can try to rerun it within the Portal.

You may revise it and try your search again below or click advanced search for more options.



[\[Advanced Search\]](#) [\[Search\]](#)

### Help/Tips



Complete Search Help and Tips

The following characters have specialized meaning:

| Special Characters | Description   |
|--------------------|---|
| , ( ) [            | These characters end a text token.  |
| = > < !            | These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)                  |
| ` @ \Q < { [ !     | These characters signify the start of a delimited token. These are terminated by the end character associated with the start character. |



[> home](#) [> about](#) [> feedback](#) [> logout](#)

US Patent & Trademark

## Search Results

Search Results for: [((writeback or (write back)) <near> bus) and ((reset\* <near> (line or signal or bus or terminal or appl\*)) <sentence> control\*) ]  
Found 10 of 87,654 searched. → Rerun within the Portal




Search within Results



[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: **Title** **Publication** **Publication Date** **Score**  **Binder**

**Results 1 - 10 of 10**    **short listing**

- 1** High-level test generation for design verification of pipelined microprocessors 94%  
 David Van Campenhout , Trevor Mudge , John P. Hayes  
Proceedings of the 36th ACM/IEEE conference on Design automation conference June 1999
- 2** The gould NP1 system interconnecting 92%  
 D. J. Vianney , J. H. Thomas , V. Rabaza  
Conference proceedings on International conference on supercomputing June 1988  
The Gould NP1 is a multicomputer multiprocessing system designed for high performance and parallel processing required in diverse scientific and engineering applications. The NP1's basic building block is a dual-processor single bus system which can be expanded up to eight processors over four system buses. This paper discusses the overall design and implementation of the NP1 system interconnection in particularly the inter-system bus link which interconnects four system buses to ...
- 3** Early experience with message-passing on the SHRIMP multicomputer 82%  
 Edward W. Felten , Richard D. Alpert , Angelos Bilas , Matthias A. Blumrich , Douglas W. Clark , Stefanos N. Damianakis , Cezary